



#6501 — illustrated with #8062 adapter and 8" diameter NAB reel.



#6502 — illustrated with #8062 adapter and 8" diameter NAB reel.



#6503 — illustrated with #8063 adapters and IBM compatible reel.

# the *Tape-file*<sup>®</sup> line

## COMPUTER AIDS

To assist computer department personnel in handling input tapes efficiently . . .

- When loose rolls of tape must be rewound firmly on photo reader reels.
- When punched tapes must be edited and spliced.
- When tapes on photo reader reels must be reversed.
- When magnetic tape must be searched.

**NO. 6501 ELECTRIC REWINDER.** Designed to wind punched tape from an "unwind can". The can is large enough to hold a full roll of tape. The core keeps the tape suspended to avoid unnecessary friction. Adjustable tension pins control the firmness of the roll being wound. Winding speed 225 ft. per minute. Unwind can is 9" high x 9 1/2" wide, 1 1/2" deep. Base is 28" x 5".

**NO. 6502 HEAVY DUTY MANUAL REWINDER.** Unwind can is 9" high, 9 1/2" wide, 1 1/2" deep. 28" x 4" base.

**NO. 6503 HEAVY DUTY MANUAL TAPE SEARCHER.** For editing and rewinding paper tape or searching magnetic tape. Base is 28" x 4".

### PAPER TAPE REEL ADAPTERS

- #8059 — for 3 1/4" plastic cores for NCR units 304, 310, 315, and 390
- #8060 — for 5 1/2" plastic reel of BURROUGHS 220
- #8061 — for 7" plastic reel of RCA 501 and HONEYWELL 400
- #8062 — for 3" hub — NAB reel
- #8064 — for 9" plastic reel of RCA 301

### MAGNETIC TAPE REEL ADAPTERS

- #8062 — for 3" hub — NAB reel
- #8063 — for 3 5/8" hub — IBM compatible



**data processing accessories**



**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE, RHODE ISLAND 02905  
TELEPHONE 781-4430  
Area Code — 401



the *Tape-file*<sup>®</sup> line

## 1004 TAPE HOLDER



EASY-LOADING ALUMINUM UNIT.

ROLLING HUB KEEPS TAPE ROLL SUSPENDED TO AVOID UNNECESSARY FRICTION.

ADJUSTABLE PINS TO CONTROL TAPE TENSION.

DOOR WITH MAGNETIC LATCH.

SIZE 12" x 10" x 1½".

CAPACITY 1200 FT., ROLLED OR PREFOLDED.

FOR PREFOLDED TAPE, REMOVE HUB.




**data processing accessories**

**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE, RHODE ISLAND 02905  
TELEPHONE 781-4430  
Area Code — 401






## ***Data Processing Folders***

**Important Data Exposed for Quick Identification**

**Save Valuable Office Time in Processing and Storing  
Your Tapes and Punched Cards with Written Documents**



**ORDER RIGHT OR LEFT SLASH TO MEET YOUR NEEDS**

**Left and Right Pockets Equalize File Build-Up**

**Note: A sample kit of our Data Processing Folders and  
Envelopes is available for experimental work.**

**Price \$1.00**

*Quotations furnished for folders and  
envelopes to your specifications.*



**data processing accessories**

**DRESSER PRODUCTS INCORPORATED**



P. O. Box 2035  
PROVIDENCE 5, RHODE ISLAND  
TELEPHONE: 781-4430  
Area Code — 401



the *Tape-File*<sup>®</sup> line

## PUNCHED TAPE ENVELOPES

DESIGNED FOR MANY FILING NEEDS



### MAILING AND STORAGE BOXES FOR PUNCHED TAPES

Convenient polyethylene-lined boxes for mailing and storing punched tapes. No oil seepage. Boxes are covered with strong brown kraft, have metal closing tabs for security in the mail. Five sizes available.

Inside Dimension	Packed per Carton
#5644 — 3 <sup>7</sup> / <sub>8</sub> " Square x 1"	100
#5655 — 5 " Square x 1"	50
#5666 — 5 <sup>3</sup> / <sub>4</sub> " Square x 1"	50
#5669 — 9 <sup>5</sup> / <sub>8</sub> " Square x 1"	25
#5611 — 11 <sup>1</sup> / <sub>2</sub> " Square x 1"	20

### POLYETHYLENE-LINED KRAFT ENVELOPES

Specially designed to hold five through eight channel tapes. Check these *Tape-File* features:

- Oil resistant stock prevents tape oil from seeping.
- Tapered opening makes it easy to insert or remove tapes.
- Plain — for tub or tray filing.
- Gummed so you can attach them easily to associated documents or file folders.
- Alternate slash openings prevent bulky, uneven file build-up when attached to copy or file folders.
- Available from stock in 3 styles, 5 sizes.

#### PLAIN:

#5601L	Single Pocket — Left	slash — 2 <sup>1</sup> / <sub>4</sub> " x 8"
#5601R	Single Pocket — Right	slash — 2 <sup>1</sup> / <sub>4</sub> " x 8"
#5701L	Single Pocket — Left	Slash — 2 <sup>1</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>2</sub> "
#5701R	Single Pocket — Right	Slash — 2 <sup>1</sup> / <sub>4</sub> " x 5 <sup>1</sup> / <sub>2</sub> "
#8065-10	Single Pocket — 1 <sup>5</sup> / <sub>8</sub> " x 7 <sup>3</sup> / <sub>8</sub> "	
#8065-11	Single Pocket — 2 <sup>1</sup> / <sub>4</sub> " x 7 <sup>3</sup> / <sub>8</sub> "	
#8065-12	Twin Pocket — 3 <sup>3</sup> / <sub>8</sub> " x 7 <sup>3</sup> / <sub>8</sub> "	

#### GUMMED:

#5601LG	Single Pocket — Left	slash — 2 <sup>1</sup> / <sub>4</sub> " x 8"
#5601RG	Single Pocket — Right	slash — 2 <sup>1</sup> / <sub>4</sub> " x 8"

Gummed on sealed side to permit attachment to left or right, avoiding uneven file build-up.

*Quotations furnished for envelopes in the above styles made to your specifications.*

### POLYETHYLENE ENVELOPES FOR TAPES

Transparent envelopes — a most inexpensive way to store or file punched tapes, and still prevent the tape oil from penetrating accompanying documents. Ideal for storing program and data tapes for easy reference, and for filing in *TAPE-FILE* Data Processing folders.

#5503	— Single Pocket — 2" x 8"
#5502	— Single Pocket — 2" x 10 <sup>1</sup> / <sub>2</sub> " (for 8 <sup>1</sup> / <sub>2</sub> " pre-folded tape)

### EDGE PUNCHED CARD ENVELOPES

Unlined envelopes for associating card deck (edge punched or tab cards) with printed copy. Dual gummed strips for convenient attachment to parent document or file folder.

#5504G	— Single Pocket — 3 <sup>1</sup> / <sub>2</sub> " x 7 <sup>1</sup> / <sub>4</sub> "
--------	---



data processing accessories

**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE 5, RHODE ISLAND  
TELEPHONE: 781-4430  
Area Code — 401





the *Tape-File*<sup>®</sup> line


## PUNCHED TAPE SPLICER FOR PAPER TAPE

A precision splicer and pre-gummed, fully-punched splicing tape for torn message, loop, or multi-message splicing. All chrome plated, 4" x 9" base. Weight 4 lbs.


Splices 5, 6, 7, and 8-Channel  
Punched Data Tape.



The Tape-File Splicer showing tape to be spliced in place, and the cutting shear operating to square the ends of the tape that will be butted together in the splice.



The Tape-File Splicer showing the covers locked down with clamps to compress the splice assuring good adhesion and minimum thickness build-up.



PRE-GUMMED — FULLY-PUNCHED

*Tape-File*<sup>®</sup> SPLICING TAPE

Fully-punched, pre-gummed splicing tape for splices on five to eight channel tape. Available in 11/16", 7/8", and 1" widths for use with or without the *Tape-File* Splicer described above. Makes any splice as strong as the original tape. No adhesive needed — just moisten and use. The answer to your splicing problems whether you want to splice at end of message code, loops, or within a message without character losses.

25' Lengths  
100' Lengths



data processing accessories

**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE 5, RHODE ISLAND  
TELEPHONE: 781-4430  
Area Code — 401



# THE *Tape-file*® LINE

**makes it easy to fold — and unfold —  
punched tapes safely!**

## NO. 1157 MANUAL TAPE FOLDER

An almost indispensable time-saver in any office filing punched tapes. 11/16", 7/8", and 1" tapes can be folded rapidly and uniformly with this unit. The patented blade design permits easy removal of the folded tape. Standard fold 7/4". Other fold lengths, up to 8 1/2", on request. Base is 4" x 6" oval.

## TAPE-FILE REVOLVING RACK

**Keeps Hundreds of Short, Unfolded Tapes Indexed  
and Filed for Immediate Reference or Use**

**NO. 5695.** This revolving rack stands 4 feet high, holds 360 unfolded tapes up to 5 feet in length where the identifying code is visible at the lead end of the tape. The unit is built with 12 slotted racks, vertically mounted on a turntable that revolves at the touch of a finger. Each rack may be indexed and numbered as desired. Easily cleared with a flip of the finger — and tapes fall into receptacle for disposal. Available with, or without, casters.

These racks are used extensively in telephone applications where a 24-hour ready reference is required with a minimum of filing and searching.

~~NO. 5695 holds 360 tapes, stands 4 feet high~~

~~Unit is built with 12 slotted racks~~

## UNWIND CANS

Three units that save more time and tapes than probably any other piece of tape processing equipment. No more twisted coils to straighten, no more torn tapes. Just drop any coil, roll, or stack of tape into the proper unwind can, and feed the tape to the next operation. Designed to keep tapes up to 1" in width straight for easy, safe processing. Wider widths available on request.

**NO. 5670 — 4" Height x 6" Length x 1 1/4" Depth**

**NO. 5671 — 12" Height x 12" Length x 1 1/4" Depth**

**NO. 5672 — 9" Height x 9" Length x 1 1/4" Depth**


NO. 5672 Unwind Can is designed especially for 8 1/2" pre-folded tape, and may be used as both dispenser and receiving unit. Full front opening permits fast, easy reversal of tape for feeding the next operation. Curved base block insures even tape build-up.

**data processing accessories**



**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE 5, RHODE ISLAND  
TELEPHONE: 781-4430  
Area Code — 401




5671

5672

5670



# the *Tape-File*<sup>®</sup> line



## TAPE-FILE ELECTRIC TAPE WINDERS


Recommended for use with normal speed punches, i.e. Dura, Friden, Monroe, etc.

Take-up speed 12 ft. per minute at reel core.

No. 3057 — for 6" diameter reels\*

No. 3055 — for 7" & 9" diameter reels\*

\*See table below for reel stock numbers.



## TAPE-FILE CENTER FEED UNWINDERS

Portable input units that eliminate the need of rewinding.

Aluminum pan with curved core to maintain perfect balance for proper feeding of tape. All units 4 1/4" high with 4" x 6" oval cast base.

No. 7057 — with 6" pan

No. 7058 — with 9" pan

No. 7059 — with 12" pan

## TAPE-FILE REMOVABLE FACE REELS

Designed for use with Tape-File winders and rewinders. Efficient "one-hand" operation — no nuts, bolts, or screws.



Before winding, simply slip tape end under clip on inner half of reel, and engage outer half. After winding, remove outer half, and lift out tape roll.

Order by No. to meet your specifications:

Six-inch Diameter Reels  
No. 6R11 for 11/16" tape  
No. 6R14 for 7/8" tape  
No. 6R16 for 1" tape

Seven-inch Diameter Reels  
No. 7R11 for 11/16" tape  
No. 7R14 for 7/8" tape  
No. 7R16 for 1" tape

Nine-inch Diameter Reels  
No. 9R11 for 11/16" tape  
No. 9R14 for 7/8" tape  
No. 9R16 for 1" tape



data processing accessories

**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE, RHODE ISLAND 02905  
TELEPHONE: 781-4430

Area Code — 401

# the *Tape-file*<sup>®</sup> line



## **NO. 5057 MANUAL TAPE WINDER**

A convenient, portable winder for preparing tapes for re-use, mailing, or storage.

Maximum reel diameter 6"\*.


## **NO. 5061 HEAVY DUTY MANUAL TAPE WINDER**

A "big brother" to the 5057 winder.


Will take 6", 7", or 9" diameter reels\* and adapters for reels of Burroughs, G. E., Honeywell, I.B.M., N.C.R., S.D.S.



## **NO. 4061 MANUAL TAPE REWINDER**



## **NO. 4057 MANUAL TAPE SEARCHER**



Two units for rewinding and editing tapes. Base 4" x 15".  
Maximum reel diameter 6"\*.

\*For correct reel number, see  
table at bottom of page 7.



data processing accessories

**DRESSER PRODUCTS INCORPORATED**

P. O. Box 2035  
PROVIDENCE, RHODE ISLAND 02905  
TELEPHONE: 781-4430

Area Code — 401

PAGE 8